# SAFETY DATA SHEET



#### 1. Identification

**Product identifier** MAP-Pro™ Premium Hand Torch Fuel

Other means of identification

WC001 SDS number **Product code** Varies

Recommended use Hand Torch Fuel Recommended restrictions None known.

Manufacturer / Importer / Supplier / Distributor information

Worthington Cylinder Corporation Company name

Address 300 E. Breed St. Chilton, WI 53014

1-920-849-1740 **Telephone** Telephone Number: E-mail Ann.Stiefvater@worthingtonindustries.com

**Contact person** Ann Stiefvater

**CHEMTREC** Domestic **Emergency phone number** 1-800-424-9300 International 1-703-527-3887

## 2. Hazard(s) identification

**Physical hazards** Flammable gases Category 1

> Gases under pressure Liquefied gas

**Health hazards** Specific target organ toxicity, single Category 3 narcotic effects

exposure

OSHA hazard(s) Not classified.

\*Hazards not stated here are "Not classified", "Not applicable" or "Classification not possible".

#### Label elements

Hazard symbol



Signal word

Extremely flammable gas. Contains gas under pressure; may explode if heated. May displace **Hazard statement** 

oxygen and cause rapid suffocation.

**Precautionary statement** 

Prevention Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Response Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Eliminate all ignition

sources if safe to do so. If inhaled: Remove person to fresh air and keep comfortable for

breathing. Call a poison center/doctor if you feel unwell.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

Not classified.

Supplemental information

**Hazard statement** May displace oxygen and cause rapid suffocation.

# 3. Composition/information on ingredients

#### **Mixture**

**Hazardous components** 

**Chemical name** % Common name and **CAS** number synonyms 115-07-1 99.5 - 100 Propylene

SDS US 909050 Version #: 01 Revision date: - Issue date: 12-07-2012 1/7

#### 4. First-aid measures

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration.

Call a physician or poison control center immediately.

**Skin contact** Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation develops and persists. If frostbite occurs, immerse involved area in warm water (between 100 F/38 C and 110 F/43 C, not exceeding 112 F/44 C). Keep immersed for 20 to

40 minutes. Seek medical assistance.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention immediately.

**Ingestion** Ingestion is not a typical route of exposure for gases or liquefied gases.

Most important symptoms/effects, acute and delayed

Not available.

Indication of immediate medical attention and special treatment needed

Exposure may aggravate pre-existing respiratory disorders. Treat symptomatically.

## 5. Fire-fighting measures

Suitable extinguishing media
Unsuitable extinguishing

Dry chemical, CO2, water spray, fog, or foam.

Unsuitable extinguishing media

Not available.

Specific hazards arising from the chemical

Not applicable.

Special protective equipment

Not available.

and precautions for firefighters
Fire-fighting

equipment/instructions

Self-contained breathing apparatus, operated in positive pressure mode and full protective

clothing must be worn in case of fire.

Move container from fire area if it can be done without risk.

Do not extinguish fires unless gas flow can be stopped safely; explosive re-ignition may occur. Promptly isolate the scene by removing all persons from the vicinity of the incident. No action shall be taken involving any personal risk or without suitable training. For fires involving this material, do not enter any enclosed or confined fire space without proper protective equipment, including self-contained breathing apparatus. Stop flow of material. Use water to keep fire exposed containers cool and to protect personnel effecting shutoff. If a leak or spill has not ignited, use water spray to disperse the vapors and to protect personnel attempting to stop leak. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

## 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Evacuate the area promptly. No action shall be taken involving any personal risk or without suitable training. Keep unnecessary personnel away.

Ensure adequate ventilation. In case of inadequate ventilation, use respiratory protection. Wear appropriate personal protective equipment (See Section 8).

Methods and materials for containment and cleaning up Environmental precautions

Ventilate well, stop flow of gas or liquid if possible. Immediately contact emergency personnel.

Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent from entering into soil, ditches, sanitary sewers, waterways and/or groundwater.

## 7. Handling and storage

Precautions for safe handling Eliminate sources of igr

Eliminate sources of ignition. Avoid spark promoters. Ground/bond container and equipment. These alone may be insufficient to remove static electricity.

Wear appropriate personal protective equipment (See Section 8). Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored, and processed. Do not breathe gas. Do not get in eyes, on skin, on clothing. Use only with adequate ventilation.

Conditions for safe storage, including any incompatibilities

Store in accordance with local, regional, national, and international regulations. Secure cylinders in an upright position at all times, close all valves when not in use. Store in a cool, dry, well-ventilated place. Keep container tightly closed and sealed until ready for use. Protect cylinders from damage.

MAP-Pro™ Premium Hand Torch Fuel 909050 Version #: 01 Revision date: - Issue date: 12-07-2012

## 8. Exposure controls/personal protection

#### Occupational exposure limits

#### **US. ACGIH Threshold Limit Values**

Components	Туре	Value
Propylene (CAS 115-07-1)	TWA	500 ppm

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. The engineering controls also need to keep

gas, vapor, or dust concentrations below any lower explosive limits.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety glasses or goggles.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear protective clothing appropriate for the risk of exposure.

**Respiratory protection** If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards

General hygiene considerations

Do not eat, drink or smoke when using the product. Wash thoroughly after handling. Provide eyewash station and safety shower. Handle in accordance with good industrial hygiene and safety

## 9. Physical and chemical properties

**Appearance** Colorless liquefied gas.

Physical state

Form Compressed liquefied gas.

Color Colorless

Odor Hydrocarbon or mercaptan if odorized

**Odor threshold** Not available. Not available. pН -301 °F (-185 °C) Melting point/freezing point Initial boiling point and boiling

range

-54.4 °F (-48 °C)

-162 °F (-107.8 °C) Flash point **Evaporation rate** Not available.

Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit - upper

11 %

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure 109.73 PSIG (21°C)

1.5 at 0°C Vapor density Not available. Relative density

Slight Solubility(ies)

**Partition coefficient** Not available.

(n-octanol/water)

927 °F (497.22 °C) **Auto-ignition temperature Decomposition temperature** Not available. **Viscosity** Not available.

Other information

42 Molecular weight

MAP-Pro™ Premium Hand Torch Fuel

Percent volatile Essentially 100%

VOC (Weight %) 100 %

909050 Version # 01 Revision date: -Issue date: 12-07-2012

## 10. Stability and reactivity

Reactivity Not available.

**Chemical stability** Stable under normal temperature conditions and recommended use.

Possibility of hazardous

reactions

Polymerization will not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents. Strong acids. Halogens.

Hazardous decomposition

products

None known.

## 11. Toxicological information

## Information on likely routes of exposure

Ingestion Not available. Not available. Inhalation Not available. Skin contact Not available. Eve contact

Symptoms related to the physical, chemical and toxicological characteristics Not available.

# Information on toxicological effects

Suffocation (asphyxiant) hazard - if allowed to accumulate to concentrations that reduce oxygen **Acute toxicity** 

below safe breathing levels. Exposure to rapidly expanding gas or vaporizing liquid may cause

frostbite ("cold burn").

**Test Results** Components **Species** 

Propylene (CAS 115-07-1)

Acute

Inhalation

LC50 680 mg/l, 2 Hours Mouse

Rat 658 mg/l, 4 Hours

Skin corrosion/irritation Serious eye damage/eye

irritation

Not available. Not available.

Not available. Respiratory sensitization Skin sensitization Not available. Germ cell mutagenicity Not available.

Carcinogenicity

#### IARC Monographs. Overall Evaluation of Carcinogenicity

Propylene (CAS 115-07-1) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not available. Specific target organ toxicity -Not available.

single exposure

Specific target organ toxicity -

repeated exposure

Not available.

**Aspiration hazard** Not available.

**Chronic effects** May cause central nervous system effects.

## 12. Ecological information

**Ecotoxicity** Not expected to be harmful to aquatic organisms.

Not available. Persistence and degradability Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Propylene 1.77

Mobility in soil Not available. Not available. Other adverse effects

SDS US 909050 Version #: 01 Revision date: -Issue date: 12-07-2012

## 13. Disposal considerations

**Disposal instructions**Use the container until empty. Do not dispose of any non-empty container. Empty containers have

residual vapor that is flammable and explosive. Cylinders should be emptied and returned to a hazardous waste collection point. Do not puncture or incinerate even when empty. Dispose in

accordance with all applicable regulations.

Local disposal regulations

Hazardous waste code

Waste from residues / unused

products

Not regulated. Not available.

Not available.

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

## 14. Transport information

#### DOT

UN number UN1077
UN proper shipping name Propylene
Transport hazard class(es) 2.1

Transport hazard class(es) 2. Subsidiary class(es) -

Packing group Not available. Special precautions for user Not available.

Labels required2.1Special provisions19, T50Packaging exceptions306Packaging non bulk304Packaging bulk314, 315

**IATA** 

UN number UN1077
UN proper shipping name Propylene
Transport hazard class(es) 2.1
Subsidiary class(es) -

Packaging group Not available.

Labels required 2.1

**ERG Code** Not available. **Special precautions for user** Not available.

**IMDG** 

UN number UN1077
UN proper shipping name Propylene
Transport hazard class(es) 2.1
Subsidiary class(es) -

Packaging group Not available.

Labels required 2.1

EmS Not available. Special precautions for user Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and

Annex II of MARPOL 73/78 ar the IBC Code

No information available.

## 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not on regulatory list.

MAP-Pro™ Premium Hand Torch Fuel

CERCLA Hazardous Substance List (40 CFR 302.4)

Propylene (CAS 115-07-1) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes

Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

909050 Version #: 01 Revision date: - Issue date: 12-07-2012

SDS US

SARA 302 Extremely No hazardous substance

SARA 311/312 Hazardous Yes

chemical

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

## Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Propylene (CAS 115-07-1)

Clean Water Act (CWA)

Hazardous substance

Section 112(r) (40 CFR

68.130)

Safe Drinking Water Act

Not regulated.

(SDWA)

# Drug Enforcement Administration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) and 1310.04(f)(2) and Chemical Code Number

Not listed.

#### Drug Enforcement Administration (DEA). List 1 & 2 Exempt Chemical Mixtures (21 CFR 1310.12(c))

Not regulated.

#### **DEA Exempt Chemical Mixtures Code Number**

Not regulated.

Food and Drug Not regulated.

Administration (FDA)

#### **US state regulations**

#### **US. Massachusetts RTK - Substance List**

Propylene (CAS 115-07-1)

## US. New Jersey Worker and Community Right-to-Know Act

Propylene (CAS 115-07-1) 500 LBS

Inventory name

#### US. Pennsylvania RTK - Hazardous Substances

Propylene (CAS 115-07-1)

#### **US. Rhode Island RTK**

Propylene (CAS 115-07-1)

# **US. California Proposition 65**

## US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

Country(s) or region

#### International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s)

## 16. Other information, including date of preparation or last version

**Issue date** 12-07-2012

Revision date - Version # 01

Further information Not available.

909050 Version #: 01 Revision date: - Issue date: 12-07-2012 6 / 7

On inventory (yes/no)\*

## Disclaimer

All information in this Material Safety Data Sheet is believed to be accurate and reliable. However, no guarantee or warranty of any kind is made with regard to the accuracy of information or the suitability of the recommendations contained herein. It is the user's responsibility to assess the safety and toxicity of this product under their own conditions of use and to comply with all applicable laws and regulations.