

Zep Commercial Sales & Service 1310 Seaboard Industrial Blvd. Atlanta, GA 30318 1-888-805-HELP (4357) www.zepcommercial.com

Safety Data Sheet

Section 1. Chemical Product and Company Identification

Product name High Traffic Floor Polish

Product code ZUHTFF

Date of issue 04/17/13 Supersedes 02/02/11

Emergency Telephone Numbers

For MSDS Information:

Compliance Services 404-352-1680

For Medical Emergency

(877) 541-2016 Toll Free - All Calls Recorded

For Transportation Emergency

CHEMTREC: (800) 424-9300 - All Calls Recorded

In the District of Columbia (202) 483-7616

Prepared By

Compliance Services

1420 Seaboard Industrial Blvd.

Atlanta, GA 30318

Section 2. Hazards Identification

Emergency overview

*Hazard Determination System (HDS): Health, Flammability, Reactivity

0

WARNING

CAUSES EYE AND SKIN IRRITATION.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects Routes of Entry Dermal contact. Eye contact. Inhalation.

Eyes Causes eye irritation. Inflammation of the eye is characterized by redness, watering and itching.

Skin Causes skin irritation. Product may be dermal absorbed. Skin inflammation is characterized by

itching, scaling, or reddening.

Inhalation Avoid direct inhalation of spray. Over-exposure by inhalation may cause respiratory irritation.

Can cause central nervous system (CNS) depression.

Ingestion Ingestion may cause gastrointestinal irritation and diarrhea.

<u>Chronic effects</u> Contains material which may cause damage to the following organs: kidneys, liver, central nervous system (CNS). Prolonged or repeated contact may dry skin and cause irritation.

Carcinogenicity Ingredients: Not listed as carcinogen by OSHA, NTP or IARC.

Product/ingredient name

Not available.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/illiormation on ingredients
--

Name of Hazardous Ingredients	CAS number	% by Weight
Ethoxydiglycol; 2-(2-ethoxyethoxy)-ethanol	111-90-0	1 - 10
Tri(butoxyethyl) phosphate; tris(2-butoxyethyl) phosphate	78-51-3	1 - 5

Section 4. First Aid Measures

Eye Contact Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and

remove any contact lenses. Get medical attention immediately.

Skin Contact Flush affected skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse.

Get medical attention if irritation develops.

Inhalation Move exposed person to fresh air. If irritation persists, get medical attention.

Ingestion Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be

kept low so that vomit does not enter the lungs. If affected person is conscious, give plenty of water to drink.

Never give anything by mouth to an unconscious person. Get medical attention immediately.

Product code ZUHTFF Safety Data Sheet Product Name High Traffic Floor Polish

Section 5. Fire Fighting Measures

Flash Point None.

Flammable Limits Not available. **Flammability** Non-flammable.

Fire hazard In a fire or if heated, a pressure increase will occur and the container may burst.

Fire-Fighting

Procedures

Use an extinguishing agent suitable for the surrounding fire.

Section 6. Accidental Release Measures

Put on appropriate personal protective equipment (see section 8). Stop leak if without risk. Move containers Spill Clean up

from spill area. Dilute with water and mop up if water-soluble or absorb with an inert dry material and place in

National Fire Protection Association (U.S.A.)

an appropriate waste disposal container.

Section 7. Handling and Storage

Handling Put on appropriate personal protective equipment (see section 8). Do not get in eyes or on skin or clothing. Do not

breathe vapor or mist. Do not ingest. Wash thoroughly after handling. Do not reuse container.

Storage Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from

incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use.

Store between the following temperatures: 40°F - 120°F (4.4°C - 49°C). Protect from freezing. Do not store in

unlabeled containers. Keep out of the reach of children.

Section 8. Exposure Controls/Personal Protection

Exposure limits Product name

AIHA WEEL (United States, 5/2010). Ethoxydiglycol; 2-(2-ethoxyethoxy)-ethanol

TWA: 25 ppm 8 hour(s).

Personal Protective Equipment (PPE)

Eyes Safety glasses.

Body Wear appropriate protective clothing to prevent skin contact.

Recommended: Neoprene gloves. Nitrile gloves. Rubber gloves.

Use with adequate ventilation. A respirator is not needed under normal and Respiratory

intended conditions of product use.

Section 9. Physical and Chemical Properties

Physical State Liquid. [Translucent Thin liquid] Color Milky-white

8 to 9 pН Odor Ammoniacal. [Slight]

Boiling Point 100°C (212°F) Vapor Pressure Not available.

Specific Gravity 1.03 Vapor Density Not available. Solubility Easily soluble in the following materials: cold water **Evaporation Rate** 1 (Water = 1)

and hot water.

VOC (Consumer) 0.9 % (w/w) 0.0774 lbs/gal (9.3 g/l)

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

Incompatibility Reactive or incompatible with the following materials: oxidizing materials and acids. **Hazardous Polymerization** Under normal conditions of storage and use, hazardous polymerization will not occur.

Hazardous Decomposition Products carbon oxides (CO, CO₂)

Section 11. Toxicological Information

Acute Toxicity

Exposure Product/ingredient name Result **Species Dose** Rat tris(2-butoxyethyl) phosphate LD50 Oral 3 g/kg LD50 Dermal Rabbit 4150 mg/kg 2-(2-ethoxyethoxy)ethanol LD50 Oral Rat 5540 mg/kg

Page: 2/3

Section 12. Ecological Information

Environmental Effects

Not available.

Aquatic Ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
tris(2-butoxyethyl) phosphate	-	Acute LC50 11200 ug/L Fresh water	Fish - Fathead minnow - Pimephales promelas - 31 days - 19.6 mm - 0. 119 g	96 hours
2-(2-ethoxyethoxy)ethanol	-	Acute LC50 3340000 ug/L Fresh water	Daphnia - Water flea - Daphnia magna - Neonate - 0 to 24 hours	48 hours
	-	Acute LC50 6010000 ug/L Fresh water	Fish - Channel catfish - Ictalurus punctatus - 0. 72 g	96 hours

Section 13. Disposal Considerations

Waste Information

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities for additional information.

Waste Stream Classification: Non-hazardous waste by Characteristic.

Origin: RCRA waste.

Section 14. Transport Information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label
DOT Classification	Not regulated.	-	-	-	
TDG Classification	Not regulated.	-	-	1	
IMDG Class	Not regulated.	-	-	-	

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment.

PG*: Packing group

Section 15. Regulatory Information

U.S. Federal Regulations

SARA 313 toxic chemical notification and release reporting:

Product name

2-(2-ethoxyethoxy)ethanol

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

All Components of this product are listed or exempt from listing on TSCA Inventory.

State Regulations

California Prop 65

No products were found.

Canada

WHMIS (Canada)

Class D-2B: Material causing other toxic effects (Toxic).

Section 16. Other Information

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.